DDRESS P.O. BOX 62				(2-16) 25402		(17-19) F O1 A D	ISCHASOL	JUE 4	366	Expires 313	2040-0004 21-88
CLAYTUN	10 83227		PERMIT NUMBER		R DISCH	ARGE NUMBER		JUL 14	. 190	3	ON
OCATION AJIN	I WEN MER /S.	FROM VEAR (20-21)				WATER COMPLIANCE SECTION  MAJOR (SUERA-REGION 10  NOTE: Read instructions before completing this for					
PARAMETER		(3 Card Only) QUA	TITY OR LOADING		(4 Card Only) (38-45)	QUALITY OR CONC (46-53)	CENTRATION (54-61)		NO.	FREQUENC	STATE IN THE
(32-37)	$\times$	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	(62-63)	OF ANALYSIS (64-68)	(69-70)
РН	SAMPLE MEASUREMENT	্ৰাছ আছি আছি আছি আছি আছি	হলৈ হলৈ হলৈ হলৈ হলৈ হলৈ		7.0	্বাধ বাধ বাধ বাধ বাধ	9.2			Weekly	1700
00400 1 0 0 EFFLUENT GRUSS VALU	PERMIT REQUIREMENT	900000	*****	ithe attention at a	6.0 MINIMUM	000000	MAXIMUM	SU		MEEKL)	YGRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	****	han dan dan dan dan dan dan dan dan dan d		also also also also also also	3	4		0	Weekl	
00530 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	- 400000	******	建筑建筑 建筑建筑	****	300A AVG	DAILY M	x MG/L		WEEKL)	(GRA8
(AS AS)	SAMPLE MEASUREMENT	- ************************************	the also also also the ride		aje aje oje oje aje		0.005	200	0		mo Grab
01002 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	000000	*****	State of the state	000000	000000	DAILY M	X MG/L		ONCE/ MONTH	GRAB
(AS CD)	SAMPLE MEASUREMENT	*******	******	de de de de	******	*	0.005		Ω	once/m	ette. 20018timotekuskoonttuisissoon
01027 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	ate ate ate ate ate ate	*****	ale ale ale ale	*****	****	DAILY M	X MG/L		DACE/ MONTH	GRAS
COPPER, TOTAL (AS CU)	SAMPLE MEASUREMENT		200000	ale sie ale ale	000000	000000	0.02		0	C202/7	- Grab
effluent gross Valu	PERMIT	*****	age age age age age age	eferate ate ate	*****	-0.00000	DAILY M	X MG/L		MONTE	e and excessed constant in terroris de la
(AS PB)	SAMPLE MEASUREMENT	Booose	202022	ja sja sja sja			0.05	-	0	once/m	o Gr
EFFLUENT GROSS VALU ZINC, TOTAL	PERMIT REQUIREMENT SAMPLE	क्षेत्र के के के के के	****	alle alle alle alle	****	****	DAILY M	x MG/L		MONTH	
(AS ZN) 01092 1 0 0	MEASUREMENT	335646	000000		August	000000	0.027		0	once/m UNCE/	ODE 6000000000000000000000000000000000000
EFFLUENT GROSS VALU	OFFICER   CERT	IFY UNDER PENALTY OF				el el	DAILY M	X MG/L		MONTH	
P.H. Fitch VP & General Manager	ON MY OBTAIN IS TRU NIFICAN THE PO	INQUIRY OF THOSE IN ING THE INFORMATION. INC. AUCURATE AND COM- INT PENALTIES FOR SU DSSIBILITY OF FINE AND	NDIVIDUALS IMMEDIAT  I BELIEVE THE SL MPLETE I AM AWARE IBMITTING FALSE INF IMPRISONMENT SEE	BHITTED INF THAT THERE FORMATION 18 U.S.C. §	SIBLE FOR ORMATION ARE SIG-	URE OF PRINCIPAL	EXECUTIVE 20	08   838-	1200	189E · 10	17 1-
TYPED OR PRINTED 33 U.S.C. § 1319. (Penalties under and or maximum imprisonment of			hetuven 6 months and 5	nctude fines up vears.)	10 \$10,000	OFFICER OR AUTHORIZED AGEN		EA NUME	BER	YEAR F	MO DAY
OMMENT AND EXPLANATION OF AN	Y VIOLATIONS (Re	ference all attachments	here)		,		w				

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME ADDRESS (Include Facility Name/Location if different)
NAME CYPRUS THOMPSON CREEK MINING C

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different) NAME CYPRUS THOMPSON CREEK MINING C ADDRESS P.O. BOX 62			IDOO	ARGE MO (2-16) 25402	NITORING REPO	IMINATION SYSTEM (NPDES) ING REPORT (DMR) (17-19)  OO1 A  DISCHARGE NUMBER			KSKI 1989	CMB No Expires	2040- 3-31-88	40-0004
PACILITY			-	MONI	TORING PERIO			COMPUN			31	N. C.
LOCATION		0_2	FROM YEAR		OT TO YEAR	MO DAY	AJUR (S	ber bs	10a :	£,		
ATTN: CHRISTUANES,	VICE PRES	S/GEN MGR	(20-21)	(22-23) (24	-25) (26-27) (2	28-29) (30-31) N	OTE: Read in	structions be	fore con	npleting	this for	rm.
PARAMETER (32-37)		(3 Card Only) QU, (46-53)	ANTITY OR LOADIN (54-61)	NG	(4 Card Only) (38-45)	QUALITY OR CONCENTRATION (46-53) (54-61)				FREQUEN	-	SAMPLE
		AVERAGE	MAXIMUM	UNITS	мимими	AVERAGE	MAXIMUM	UNITS	(62-63)	(64-68	515	(69-70)
FLOW, IN CONDUIT OR THRU TREATMENT PLAN	SAMPLE MEASUREMEN	T 0.037	0.123		atha atha atha atha atha	Who will also also the city against against the sign again against against the sign again	ন্ত্ৰীয় সূত্ৰি স্কৃতি স্কৃত্ৰ	20 th	0	Daily	7	
50050 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPURT 30DA AVG	REPORT DAILY MX	MGD	*****	000000	00000	****** ****		DAIL		
MERCURY TOTAL  (AS HG)	SAMPLE MEASUREMEN	P	****		*****	*****	0.0002		0	once/	A Comment	Grad
71900 1 0 0 EFFLUENT GROSS VALU	PERMIT	700000	*****	\$P\$ \$P\$ \$P\$	\$\$\$\$\$\$	W. 18 Care	DAILY	MX MG/L		MON.		RAB
	SAMPLE MEASUREMEN	т		1	C May	h						
	PERMIT REQUIREMENT	r,		-	inne	Y = 19	7					
	SAMPLE MEASUREMEN	т			A Ju	( . ( )		₽.	1	l.j.	F	1 +
	PERMIT REQUIREMENT					*		100				
	SAMPLE MEASUREMEN	т				-						
	PERMIT REQUIREMENT					13-1						
	SAMPLE MEASUREMEN	т										0
. 4 5	PERMIT REQUIREMENT											
	SAMPLE MEASUREMEN	T				2						
	PERMIT REQUIREMENT	1										•
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  P.H. Fitch  I CERTIFY UNDER PENALTY OF AND AM FAMILIAR WITH THE ON MY INQUIRY OF THOSE OBTAINING THE INFORMATION		INFORMATION SUBMITT INDIVIDUALS IMMEDIAT N. I BELIEVE THE SI	ED HEREIN: A FELY RESPONS UBMITTED INF	ND BASED SIBLE FOR ORMATION	01.0	DIE	TELEPHO	NE		DATE	E	
VP & General Manager IS TRUE. ACCURATE AND CONFICANT PENALTIES FOR STHE POSSIBILITY OF FINE AND 33 USC \$ 1319. (Penalties una			MPLETE I AM AWARE UBMITTING FALSE IN D IMPRISONMENT SEE for these statutes may i	THAT THERE FORMATION 18 U.S.C 5 nclude fines up	ARE SIG	SIGNATURE OF PRINCIPAL EXECUTIVE			-2200	89	07	_10
TYPED OR PRINTED and or maximum imprisonment COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachment			years.)	OFFIC	OFFICER OR AUTHORIZED AGENT			MBER	YEAR	МО	DAY	

PERMITTEE NAME/ADDRESS (Include NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) Form Approved Facility Name/Location if different) DISCHARGE MONITORING REPORT (DMR) OMB No. 2040-0004 CYPRUS THOMPSON CREEK MINING C NAME (2-16) (17-19) Expires 3-31-88-002 A DISCOND ADDRESS P.O. BOX 62 ID0025402 ID 83227 CLAYTUN PERMIT NUMBER DISCHARGE NUMBER WATER COMPLIANCE SECTION MONITORING PERIOD EPA-REGION 10 FACILITY YEAR мо DAY YEAR DAY FROM TO MAJOR LOCATION ATTN: VICE PRES/GEN MGR NOTE: Read instructions before completing this form. (22-23) (24-25) 126-271 (28-29) (30-31) (20-21) QUALITY OR CONCENTRATION (3 Card Only) (4 Card Only) QUANTITY OR LOADING REQUENCY SAMPLE NO. (46-53)(54-61) PARAMETER (46-53)(54-61) (38-45)EX TYPE ANALYSIS (32-37)UNITS MINIMUM AVERAGE MAXIMUM UNITS AVERAGE MAXIMUM (64-68) (69-70) 62-63) **建筑建筑建筑** 2012 10 10 10 10 10 PH **拉拉拉拉拉拉拉** SAMPLE MEASUREMENT weekly NA SECUL DE LE LE MEEKLYISKAL alle after the observation also ada ada ada ada ada ada ada and the six 6.0 9.0 00400 () O. PERMIT REQUIREMENT SU 200 300 300 300 MINIMUM MAXIMUM EFFLUENT GROSS VALUE and the specific specific nie nie nie die nie nie SOLIDS. TOTAL 拉拉拉拉拉拉拉 SAMPLE MEASUREMENT SUSPENDED Weekl WEEKLYGRAS designation of the state of **建筑建筑设设** 20 30 00530 0 0 and the street of the street PERMIT REQUIREMENT ale ale ale ale BOURA CAVE DAILY MX MG/L EFFLUENT GROSS VALU 一个 实现 数 数 数 数 数 ale ale ale ale ale ale **非非非非由的** -absolute für ale ale al ARSENIC. TOTAL SAMPLE MEASUREMENT (AS AS) (0 005 the side also the size also after after after after after after STREET, STREET i de de de la APRICA 0.4490 ONCE/ 01002 U PERMIT REQUIREMENT 100 DAILY MX MG/L MONTH 31.32.32.32.3 EFFLUENT GROSS VALU water the nje nje nje nje nje nje nin nin nin nin nin nin अहिन्द्रीय ग्रह्म अहिन्द्रीय CADMIUM. TOTAL SAMPLE MEASUREMENT 34 (AS CD) 0 005 \*\*\*\*\* ALL REAL PROPERTY. AND DESCRIPTION OF ACCRECATE AND ADDRESS. ははははは 0.0053 ONC E 01027 0 0 PERMIT REQUIREMENT DAILY MX MG/L MONTH बांद बांद बांद बांद EFFLUENT GROSS VALU \*\*\*\* 202 202 202 202 202 nie nie nie nie nie nie **建筑设设设设** COPPER, TUTAL SAMPLE MEASUREMENT (AS CU) ( 0 02 The other observation of MER AND MOR MOR AND AND in the state after the after the after the AND DESCRIPTION OF THE PERSON NAMED IN 0.0245 O 01042 PERMIT nie nie nie nie DAILY MX MG/L MONTH EFFLUENT GROSS VALU ale ale ele ale ale ale Made ale sie sie sie LEAD, TOTAL nic nic nic nic nic nic 2/4 2/4 2/4 2/4 2/4 2/4 SAMPLE MEASUREMENT (AS PB) 0.05 distraction. 25.50 0000000 \*\*\*\*\* 0.0589 ONCE/ GRAB 0 0 CONTRACTOR CONTRACTOR 01051 PERMIT REQUIREMENT MONTH 20 20 20 20 DAILY MX MG/L EFFLUENT GROSS VALU **建筑建筑建筑** 数数数数数数 the site of the site site afa afa afa afa afa afa ZINC. TOTAL SAMPLE MEASUREMENT (AS ZN) 0.034 and after the after the after SECTION SECTION 0.185 ONCE/ GRAD CLUBS NAMED IN STREET STREET, STREET, STREET, to the Market 01092 Ü PERMIT REQUIREMENT MONTH DAILY FFFLUENT GROSS MIX MG/L CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED TELEPHONE NAME/TITLE PRINCIPAL EXECUTIVE OFFICER DATE AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN: AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE ACCURATE AND COMPLETE I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND P.H. Fitch

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

VP & General Manager

TYPED OR PRINTED

33 USC \$ 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)

89

YEAR

838-2200

NUMBER

208

AREA

00141/091488-2159

SIGNATURE OF PRINCIPAL EXECUTIVE

OFFICER OR AUTHORIZED AGENT

0.7

MO

OF

10

DAY

PERMITTEE NAME / ADDRESS (Include Facility Name/Location if different) NAME CYPRUS THOMPSON CREEK MINING C ADDRESS P.O. BOX 62  CLAYTON ID 83227				UTANT DISC ARGE MO (2-16)	HARGE ELIMIN NITORING I	RT (DMR) 17.19) F	- FINAD	图GL	23	Form Appro	040-0004	
			ID0025402			002 A DISCHAR			TU PAT	HUG	Expires 3-3	188 K
			PERM	IT NUMBER	2	DISCHA	RGE NUMBER	00	JUL 1	4 19	989 S	1
			-	MONI	TORING P	ERIO	D	) of all All myrelyes				1011 of 15
FACILITY			YEAR				AO DAY		R COMP			IOIA B
LOCATION			FROM 89	06	01 70	39			KERAS-YA			
ATTN:	VICE PRES			(22-23) (24				OTE: Read instru	ictions befo	re con	pleting thi	s form.
PARAMETER (32-37)	$\times$	(3 Card Only) QUA (46-53)	(NTITY OR LOADIN (54-61)	IG	(4 Card Only) (38-45)	) (	QUALITY OR CONC (46-53)	(54-61)		NO.	FREQUENCY	400 JULY 17 1 1 Ave. Box
		ÄVERAGE	MAXIMUM	UNITS	MINIMU	м	AVERAGE	MAXIMUM	UNITS	(62-63)	ANALYSIS	(69-70)
FLOW, IN CONDUIT OR THRU TREATMENT PLAN	SAMPLE MEASUREMENT	0.037	0.713		क्षेत्र श्री वर्षेत्र ।	aja aja aja	<b>建設水中中</b> 中	আঁচ আঁচ আঁচ আঁচ আঁচ আ	8	0	Daily	
50050 1 0 0	PERMIT	REPORT	REPURT		0000	0.00	000000	000000	to of extends		DAILY	
EFFLUENT GROSS VALUE	REQUIREMENT	30DA AVG	DAILY MX	MGD					**********			
MERCURY, TOTAL	SAMPLE MEASUREMENT	*****	als als als als als als		र्श्वर संदर्भ ।	华华华	<b>海水水水水</b> 水	The Harmanians		1		
(AS HG)	MEASUREMENT	N N		La de la colo				0.0005		0.	once/m	
71900 1 0 0 EFFLUENT GROSS VALUE	PERMIT	7000000	000000	de alpe alpe alpe alpe alpe alpe alpe alpe	0000	444	****	0.0002	W.C. / 1		NAME OF TAXABLE PARTY.	GRAB
EFFEDENT GROSS VALU				acaeaeae				DAILY M	MG/L		MONTH	
,	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT	4				- 4	Sa.	1				
AL S	SAMPLE MEASUREMENT					J. V	1					
	PERMIT REQUIREMENT						**					
	SAMPLE MEASUREMENT											
	PERMIT	100										
	SAMPLE	3					-					
	MEASUREMENT	74					12					
	PERMIT REQUIREMENT	2										
	SAMPLE MEASUREMENT						· ·					1
	PERMIT REQUIREMENT											
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER   CERTIFY UNDER PENALTY O								T	TELEPHON	E	/D A	TE
P.H. Fitch	ON MY OBTAIN IS TRU	INQUIRY OF THOSE ING THE INFORMATION E ACCURATE AND CONTROL FENALTIES FOR SE	NDIVIDUALS IMMEDIATE  I BELIEVE THE SU  MPLETE I AM AWARE	ELY RESPONS BMITTED INFI THAT THERE	BLE FOR DRMATION ARE SIG:	+	Dulath	DUC		-	4	
THE POSSIBILITY OF FINE AN			IMPRISONMENT SEE 19 1150 \$ 1001 AND			SIGNATURE OF PRINCIPAL EXECUTIVE			208 838-2200		89 0	10
TYPED OR PRINTED and or maximum imprisonment of			hetween 6 months and 5 y	Park.i		OFFICE	R OR AUTHORIZE	D AGENT AR	EA NUMI	BER	YEAR M	DAY
COMMENT AND EXPLANATION OF ANY	VIOLATIONS (Re	eference all attachments	here)				al a			1		